

NANKANG

FREE YOUR WAY

PCR



2021

CATALOGO

SPORTNEX

AS-2+/(7)



NS-2R/(8)



NS-2/(9)



NS-20/(10)



NS-25/(11)



ECONEX

NA-1/(12)



ECO-2+/(13)



NK COMFORT

AS-1/(14)



CX668/(15)



XR-611/(16)



N-729/(17)



ROLLNEX

SP-9/(18)



SP-7/(19)



SP-11/(20)



AT-5/(21)



FT-7/(22)



RT/(23)



N-889/(24)



MT-1/(26)



ROLLNEX

FT-9/(25)



NK VAN

CW25/(27)



CW-20/(28)



LIGTH TRUCK

NR-066/(29)



NR-033/(30)




ESTOVAN
www.estovan.com
NANKANG
FREE YOUR WAY
Sportnex


AS-2+

Series	Inch	Size	Load Index (Inch)	Speed Index	Rim Wdth	OD (mm)	SW (mm)	RRC	EU TIRE LABEL		
									Wet Grip	Noise (dB)	Value Class
60"	17	215/60R17	96	H	6,5	690	221	E	B	71	2
45"	20	245/45ZR20	103(XL)	Y	8	728	243	E	A	71	2



Benchmarking to the average performance of European, Japanese and Korea competitors, AS-2+ outperforms the average of its competitors by 4.3% in Aquaplaning Performance.

Wet braking performance of AS-2+ is 14.9% higher than the testing tire.


- Channeling the standing water away more effectively.
- Braking through water at the higher speed and with more stable control.
- Offering extra tire grip and safety when it's raining.

Tested by TUV SUD Automotive in 2015


Tire size: 225/45ZR17 94W; Test Vehicle: VW Golf VII, VW Passat Variant

Test locations: ATP(D), FAKTmotion(D), TUV SUD PS (D), Report No. 713051806

Aquaplaning performance:



Wet braking performance:





ESTOVAN

www.estovan.com

NANKANG
FREE YOUR WAY

Sportnex



NS-2R

Series	Inch	Size	Load Index	Speed Index	Rim Wdth	OD (mm) (Inch)	SW (mm)	RRC	EU TIRE LABEL		
									Wet Grip	Noise Value (dB)	Noise Class
40"	18	245/40ZR18	97(XL)	W	8,5	653	248	E	C	71	2
40"	18	235/40ZR18	95(XL)	Y	8,5	645	241	E	C	71	2
40"	18	225/40ZR18	92(XL)	Y	8	637	230	E	C	71	2
40"	17	205/40ZR17	84(XL)	W	7,5	596	212	E	B	71	2
45"	18	235/45ZR18	98(XL)	Y	8	669	236	F	B	72	2
45"	18	225/45ZR18	95(XL)	W	7,5	659	225	F	B	71	2
45"	17	235/45ZR17	97(XL)	W	8	644	236	E	C	72	2
45"	17	225/45ZR17	94(XL)	W	7,5	634	225	E	C	71	2
45"	17	215/45ZR17	91(XL)	W	7	626	213	E	C	71	2
45"	17	205/45ZR17	88(XL)	W	7	616	206	F	B	71	2
45"	16	205/45ZR16	87(XL)	W	7	590	206	F	B	71	2
45"	16	195/45R16	84(XL)	V	6,5	582	195	F	B	71	2
50"	16	195/50ZR16	88(XL)	W	6	602	201	E	B	71	2
50"	15	205/50ZR15	89(XL)	W	6,5	587	214	E	B	71	2
50"	15	195/50ZR15	86(XL)	W	6	577	201	F	B	71	2
50"	13	175/50R13	72	V	5,5	506	182	E	C	70	2
55"	16	205/55ZR16	94(XL)	W	6,5	632	214	E	B	71	2
55"	15	195/55ZR15	89(XL)	W	6	595	201	F	B	71	2
60"	13	185/60R13	84(XL)	V	5,5	552	189	F	B	71	2
60"	13	175/60R13	77	V	5	540	177		N/A		





ESTOVAN

www.estovan.com

NANKANG

FREE YOUR WAY

Sportnex



NS-2

Series	Inch	Size	Load Index	Speed Index	Rim Width (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL			
								RRC	Wet Grip	Noise Value (dB)	Noise Class
35"	18	255/35ZR18	94(XL)	W	9	635	260	E	C	71	2
35"	20	255/35ZR20	97(XL)	Y	9	686	260	E	C	71	2
40"	20	245/40ZR20	95	Y	8,5	704	248	E	C	71	2
40"	19	275/40ZR19	101	Y	9,5	703	278	E	C	1	2
40"	18	235/40R18	95(XL)	H	8,5	645	241	E	C	71	2
40"	18	225/40R18	92(XL)	H	8	637	230	E	C	71	2
40"	17	215/40R17	83	H	7,5	604	218	F	C	71	2
40"	17	215/40R17	87(XL)	V	7,5	604	218	F	C	71	2
40"	17	205/40R17	84(XL)	V	7,5	596	212	F	C	71	2
40"	16	205/40R16	83(XL)	V	7,5	570	212	F	C	71	2
40"	16	215/40ZR16	86(XL)	W	7,5	578	218	F	C	71	2
45"	18	225/45R18	95(XL)	H	7,5	659	225	E	C	71	2
45"	17	235/45R17	94	H/V	8	644	236	E	C	71	2
45"	17	225/45R17	94(XL)	H/V	7,5	634	225	E	C	71	2
45"	17	215/45R17	91(XL)	H/V	7	626	213	E	C	71	2
45"	17	205/45R17	88(XL)	V	7	616	206	F	C	71	2
45"	16	205/45R16	87(XL)	V	7	590	206	F	C	71	2
45"	16	195/45R16	84(XL)	V	6,5	582	195	F	C	71	2
45"	16	165/45R16	74(XL)	V	5,5	554	165	F	C	71	2
45"	15	195/45R15	78	V	6,5	557	195	F	C	71	2
45"	15	185/45R15	75	V	6	547	183	F	C	70	2
50"	17	215/50R17	91	V	7	648	226	E	C	71	2
50"	17	205/50R17	93(XL)	V	6,5	638	214	E	C	71	2
50"	16	225/50R16	92	V	7	632	233	E	C	71	2
50"	16	205/50R16	87	V	6,5	612	214	F	C	71	2
50"	15	195/50R15	82	V	6	577	201	F	C	71	2
50"	13	175/50R13	72	V	5,5	506	182			N/A	
50"	14	185/50R14	77	V	6	542	194			N/A	
55"	17	225/55R17	101(XL)	W	7	680	233	E	C	71	2
55"	16	225/55R16	95	V	7	654	233	E	C	71	2
55"	16	215/55R16	93	V	7	642	226	E	C	71	2
55"	16	205/55R16	91	V	6,5	632	214	E	C	71	2
55"	15	195/55R15	85	V	6	595	201	F	C	71	2
55"	15	205/55R15	88	V	6,5	607	214	F	C	71	2
55"	15	185/55R15	82	V	6	585	194	F	C	70	2
60"	13	195/60R13	83	H	6	564	201	F	C	71	2
60"	13	175/60R13	77	H	5	540	177	F	C	70	2





ESTOVAN


www.estovan.com

Sportnax



NS-20

Series	Inch	Size	Load Index	Speed Index	Rim Wdth (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL			
								RRC	Wet Grip	Noise Value (dB)	Noise Class
45"	18	255/45R18	103(XL)	H	8,5	687	255			N/A	
50"	17	225/50R17	94	V	7	658	233	E	C	72	3
55"	17	235/55R17	103(XL)	H	7,5	690	245	E	C	72	2
55"	17	215/55R17	94	V	7	668	226	E	C	71	2





ESTOVAN

www.estovan.com

NANKANG
FREE YOUR WAY

Sportnex



NS-25

Series	Inch	Size	Load Index	Speed Index	Rim Wth (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL			
								RRC	Wet Grip	Noise Value (dB)	Noise Class
50"	17	215/55R17	94	V	7	668	226	E	C	71	2
50"	17	225/50R17	94	V	7	658	233			N/A	
55"	17	235/55R17	103(XL)	V	7,5	690	245			N/A	
45"	19	245/45ZR19	102(XL)	Y	8	703	243			N/A	





ESTOVAN

www.estovan.com


NANKANG
FREE YOUR WAY

ECONEX



NA-1

Series	Inch	Size	Load Index	Speed Index	Rim Wdth (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL			
								RRC	Wet Grip	Noise Value (dB)	Noise Class
60"	16	205/60R16	96(XL)	H/V	6	652	209	C	B	70	2
60"	15	195/60R15	88	H/V	6	615	201	E	B	70	2
60"	14	185/60R14	82	H	5,5	578	189	C	B	70	2
65"	15	185/65R15	92(XL)	H	5,5	621	189	C	B	70	2
65"	14	185/65R14	86	H	5,5	596	189	C	B	70	2
65"	15	195/65R15	95(XL)	H	6	647	209	C	B	70	2
65"	15	195/65R15	91	H/V	6	647	209	C	B	70	2
70"	13	175/70R13	82	T	5	576	177	E	B	70	2
70"	14	185/70R14	88	H	5,5	616	189	E	B	70	2





ESTOVAN

www.estovan.com

NANKANG
FREE YOUR WAY

ECONEK



ECO-2+

Series	Inch	Size	Load Index	Speed Index	Rim Width	OD (mm) (Inch)	SW (mm)	EU TIRE LABEL			
								RRC	Wet Grip	Noise Value (dB)	Noise Class
60"	12	165/60R12	75(XL)	H	5	503	170	E	B	70	2
60	12	165/60R12	71	H	5	503	170		N/A		




ESTOVAN
www.estovan.com
NANKANG
FREE YOUR WAY
NK COMFORT


AS-1

Series	Inch	Size	Load Index	Speed Index (Inch)	Rim Wdth	OD (mm)	SW (mm)	RRC	EU TIRE LABEL		
									Wet Grip	Noise Value (dB)	Noise Class
35"	20	315/35ZR20	110(XL)	Y	11	728	320	E	C	74	2
40"	20	275/40ZR20	106(XL)	Y	9,5	728	278	E	C	74	3
40"	19	255/40ZR19	100(XL)	Y	9	687	260	E	C	71	2
45"	19	225/45ZR18	95(XL)	W	7,5	659	225	E	C	71	2
50"	13	175/50R13	72	V	5,5	506	182	F	C	71	3
50"	18	245/50R18	104(XL)	T	7,5	703	253	E	C	71	2
60"	14	165/60R14	75	H	5	554	17	F	C	70	2
65"	16	205/65R16	95	H	6	672	209	E	C	71	2
45"	19	225/45ZR19	96(XL)	W	7,5	685	225	E	C	71	2



Comfort

SILICA





ESTOVAN

www.estovan.com

NK COMFORT

NANKANG
FREE YOUR WAY



CX668

Series	Inch	Size	Load Index	Speed Index	Rim Wdth (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL			
								RRC	Wet Grip	Noise Value (dB)	Noise Class
70"	13	175/70R13	82	H	4,5	594	165			N/A	
70"	14	175/70R14	88	H	5,0	652	184			N/A	
70"	14	185/70R14	88	H	3,5	597	133			N/A	




ESTOVAN
www.estovan.com
NK COMFORT


XR-611

Series	Inch	Size	Load Index	Speed Index	Rim Wdth (Inch)	OD (mm)	SW (mm)	RRC	EU TIRE LABEL		
									Wet Grip	Noise Value (dB)	Noise Class
55"	14	185/55R14	80	H	6	560	194	F	C	70	2
55"	16	195/55R16	87	V	6	620	201	E	C	71	2
60"	16	235/60R16	100	V	7	688	240	E	C	71	2
60"	16	225/60R16	98	V	6,5	676	228	E	C	71	2
60"	16	215/60R16	99(XL)	H	6,5	664	221	E	C	71	2
60"	15	235/60R15	98	S	7	663	240	E	C	71	2
60"	15	205/60R15	91	H/V	6	627	209	E	C	71	2
60"	15	195/60R15	88	H/V	6	615	201	E	C	71	2
60"	15	185/60R15	88(XL)	H	5.5	603	189	E	C	71	2
60"	14	205/60R14	88	H	6	602	209	E	C	71	2
60"	14	195/60R14	86	H	6	590	201	E	C	71	2
60"	14	185/60R14	82	H	5,5	578	189	E	C	71	2
60"	13	205/60R13	86	H	6	576	209	E	C	71	2
60"	13	185/60R13	80	H	5,5	552	189	F	C	71	2
65"	15	215/65R15	96	H	6,5	661	221	E	C	71	2
65"	15	195/65R15	95(XL)	H	6	635	201	E	C	71	2
65"	15	195/65R15	91	H/V	6	635	201	E	C	71	2
65"	15	185/65R15	92(XL)	H	5,5	621	189	E	C	71	2
65"	13	165/65R13	77	H	5	544	170	F	C	70	2
65"	15	205/65R15	95	H/V	6	647	209	E	C	71	2





ESTOVAN

www.estovan.com

NANKANG
FREE YOUR WAY

NK COMFORT



N-729

Series	Inch	Size	Load Index	Speed Index	Rim Wdth (Inch)	OD (mm)	SW (mm)	RRC	EU TIRE LABEL		
									Wet Grip	Noise Value (dB)	Noise Class
50"	13	215/50R13	85(WL)	T	7	546	226		N/A		
65"	14	185/65R14	86	H	5,5	596	189		N/A		
65"	14	185/65R14	86(WL)	T	5,5	596	189		N/A		
70"	14	185/70R14	88(WL)	T	5,5	616	189		N/A		
70"	14	185/70R14	88	H	5,5	616	189		N/A		
70"	14	175/70R14	84	H	5	602	177		N/A		
70"	14	175/70R14	84(WL)	T	5	602	177		N/A		
70"	13	185/70R13	86(WL)	T	5,5	590	189		N/A		
70"	13	175/70R13	82(WL)	T	5	576	177		N/A		
70"	13	165/70R13	79(WL)	T	5	562	170		N/A		
70"	13	165/70R13	79	H	5	562	170		N/A		





ESTOVAN

www.estovan.com

NANKANG


FREE YOUR WAY

Rollnex



SP-7

Series	Inch	Size	Load Index	Speed Index	Rim Wdth (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL			
								RRC	Wet Grip	Noise Value (dB)	Noise Class
40"	24	295/40R24	114(XL)	V	10,5	846	301	E*	B	72	1
40"	22	305/40R22	114(XL)	V	11	803	313	E	B	72	1
45"	22	305/45R22	118(XL)	V	10	833	303	E	B	72	1
45"	20	295/45R20	114(XL)	H	10	774	296	E	B	72	1
45"	20	275/45R20	110(XL)	H/V	9	756	273	E	B	72	2
50"	20	305/50R20	120(XL)	H	9,5	814	316	E	B	72	1
50"	20	285/50R20	116(XL)	V	9	794	297	E	B	72	1
50"	20	255/50ZR20	109(XL)	Y	8	764	265	E	B	73	2
50"	15	P295/50R15	108(OW)	S	9,5	677	309	E	B	72	2
55"	20	275/55R20	117(XL)	H	8,5	810	284	E	B	72	2
55"	18	253/55R18	104(XL)	V	7,5	715	245	E	B	72	2
55"	18	225/55R18	98	V	7	705	233	E	B	71	2
60"	18	255/60R18	112(XL)	V	7,5	763	260	E	B	73	2
60"	18	245/60R18	105	H	7	751	248	E	B	71	2
60"	17	275/60R17	110	T	8	762	279	E	B	72	2
60"	17	225/60R17	99	H	6,5	702	228	E	B	71	2
60"	15	275/60R15	107(OW)	H	8	711	279			N/A	
60"	15	275/60R15	107	H	8	711	279	E	B	72	2
60"	15	255/60R15	102(OW)	H	7,5	687	260			N/A	
60"	15	255/60R15	102	H	7,5	687	260	E	B	72	2
65"	17	265/65R17	112	H	8	776	272	E	B	72	2
65"	17	225/65R17	102	V	6,5	724	228	E	B	71	2
65"	16	215/65R16	102(XL)	V	6,5	686	221	E	B	72	2
70"	16	265/70R16	112	S	8	778	272	E	B	72	2
70"	15	235/70R15	103	T	7	711	240	E	B	71	2





ESTOVAN

www.estovan.com

NANKANG
FREE YOUR WAY

Rollnax



SP-11

Series	Inch	Size	Load Index	Speed Index	Rim Width (Inch)	OD (mm)	SW (mm)	RRC	EU TIRE LABEL		
									Wet Grip	Noise Value (dB)	Noise Class
60	18"	265/60R18	110	W	8	775	272	E	C	72	2
45	18"	245/45ZR/18	106	W	7,5	753	253	C	B	72	2
50	20"	265/50R20	111	W	8,5	774	277	C	B	73	2





ESTOVAN

www.estovan.com

NANKANG
FREE YOUR WAY

Rollnex



AT-5

Series	Inch	Size	Load Index	Speed Index	Rim Wdth (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL			
								RRC	Wet Grip	Noise Value (dB)	Noise Class
50"	20	285/50R20	116(XL)	T	9	794	297			N/A	
50"	20	265/50R20	112(XL)	T	8,5	774	277			N/A	
55"	20	275/55R20	117(XL)	T	8,5	810	284			N/A	
60"	17	235/60R17	102	T	10	850	235			N/A	
60"	18	285/60R18	116	H	8,5	802	285	C	B	74	2
60"	18	265/60R18	110	T	8	775	272			N/A	
65"	17	235/65R17	108(XL)	T	7	738	240			N/A	
70"	17	245/70R17	112(OW)	T	7	776	248			N/A	
70"	15	265/70R15	112(OW)	S	8	753	272			N/A	
70"	16	255/70R16	112(OW)	S	7,5	764	260			N/A	
70"	16	265/70R16	112(OW)	T	8	778	272			N/A	
70"	17	265/70R17	115(OW)	T	8	804	272			N/A	
70"	17	185/70R17	117	T	8,5	832	292			N/A	
75"	15	235/75R15	109(OW)	T	6,5	733	235			N/A	
4WD	17	LT245/75R17	121/118(OW)	S	7	800	248			N/A	
4WD	17	LT315/70R17	121/118	S	9,5	874	323			N/A	
4WD	20	LT305/55R20	121/118	S	9,5	844	316			N/A	
4WD	20	35*12,50R20LT	121(OW)	S	10	877	318			N/A	
4WD	16	LT225/75R16	115/112(OW)	S	6	744	223			N/A	
4WD	20	LT285/55R20	122/119	S	9	822	297			N/A	
4WD	18	33*12,50R18LT	118	Q	10	832	318			N/A	
4WD	16	235/60R16	98	S	7	663	240			N/A	



Load



Wet Grip




S&BCA

Low Noise	■	■	■	■	■	■	■	■	■
Load	■	■	■	■	■	■	■	■	■
Fuel Efficiency	■	■	■	■	■	■	■	■	■
Handling	■	■	■	■	■	■	■	■	■
Tread Life	■	■	■	■	■	■	■	■	■
Comfort	■	■	■	■	■	■	■	■	■




ESTOVAN
www.estovan.com
NANKANG
 FREE YOUR WAY

Rollnex

FT-7

Series	Inch	Size	Load Index	Speed Index	Rim Width (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL			
								RRC	Wet Grip	Noise Value (dB)	Noise Class
60"	20	275/60R20	115	T	8	838	279	F	E	72	2
65"	18	275/65R18	116	T	8	815	279	F	E	72	2
65"	18	265/65R18	114	T	8	801	272	F	E	72	2
65"	17	285/65R17	116(OV)	S	8,5	802	292	F	E	72	2
65"	17	275/65R17	115(OV)	S	8	790	279	F	E	72	2
65"	17	265/65R17	112(OV)	S	8	776	272	F	E	72	2
65"	16	255/65R16	109(OV)	S	7,5	738	260	F	E	72	2
70"	16	255/70R16	111(OV)	S	7,5	764	260	F	E	72	2
70"	16	275/70R16	114(OV)	S	8	792	279	F	E	72	2
70"	16	265/70R16	112(OV)	S	8	778	272	F	E	72	2
70"	16	245/70R16	111(OV)	S	7	750	248	F	E	72	2
70"	16	235/70R16	106(OV)	S	7	736	240	F	E	71	2
70"	16	235/70R16	106	S	7	736	240	F	E	71	2
70"	16	225/70R16	103(OV)	S	6,5	722	228	F	E	71	2
75"	15	205/75R15	99(XL)	S	689	201				N/A	
4WD	16	LT265/75R16	123/120(OV)	R	7,5	804	267	E	B	71	2
4WD	16	LT245/75R16	120/116(OV)	R	7	774	248	E	E	72	2
4WD	15	LT235/75R15	104/101(OV)	S	605	733	235	F	E	72	2
4WD	15	LT215/75R15	100/97(OV)	S	6	703	216			N/A	
4WD	15	31"10,50R15LT	109(OV)	Q/S	8,5	775	268			N/A	
4WD	14	LT215/75R14	98/95	Q	6	678	216	F	E	72	2
4WD	15	30*9,50R15LT	104(OV)	S	7,5	750	240	F	E	72	2
4WD	14	27*8,50R14LT	95	S	7	674	218			N/A	
4WD	14	27*8,50R14LT	95(OV)	S	7	674	218	F	E	72	2
4WD	15	30*9,5R15LT	104(OV)	S	7,5	750	240	F	E	72	2





ESTOVAN

www.estovan.com


NANKANG
FREE YOUR WAY

Rollnex



RT

Series	Inch	Size	Load Index	Speed Index	Rim Wdth (Inch)	OD (mm)	SW (mm)	RRC	EU TIRE LABEL		
									Wet Grip	Noise Value (dB)	Noise Class
75	16"	LT245/75R16	126/123	N	8	834	286		N/A		
75	16"	LT265/75R16	123/120	Q	7,5	804	267		N/A		
70	16"	245/70R16	111	S	7	750	248		N/A		
60"	18"	LT265/60R18	119/116	Q	8,0	775	272		N/A		





ESTOVAN

www.estovan.com

NANKANG
FREE YOUR WAY

Rollnex



FT-9

Series	Inch	Size	Load Index	Speed Index	Rim Width (Inch)	OD (mm)	SW (mm)	EU TIRE LABEL		
								RRC Wet Grip	Noise Value (dB)	Noise Class
4WD	17	35X12,5R17LT	119	Q	10	877	318	N/A	N/A	
4WD	15	31X10,50R15LT	109	Q	8,5	775	268	N/A	N/A	
4WD	15	31X10,50R15LT	109(OV)	Q	8,5	775	268	N/A	N/A	
VAN	15	225/70R15C	112/110	S	N/A	N/A	N/A	N/A	N/A	
60"	18	LT265/60R18	119/116	Q	8	775	272	N/A	N/A	
VAN	15C	225/70RX15C	112/110	S	N/A	N/A	N/A	N/A	N/A	
4WD	15	LT235/75R15	104/101(OV)	Q	6,5	733	235	N/A	N/A	



Handling



TAIWAN
EXCELLENCE
2012

Low Noise	■	■	■	■	■	■	■	■	■
Wet Grip	■	■	■	■	■	■	■	■	■
Fuel Efficiency	■	■	■	■	■	■	■	■	■
Handling	■	■	■	■	■	■	■	■	■
Tread Life	■	■	■	■	■	■	■	■	■
Comfort	■	■	■	■	■	■	■	■	■





ESTOVAN

www.estovan.com

NANKANG
FREE YOUR WAY

Rollnex



MT-1

Series	Inch	Size	Load Index	Speed Index	Rim Wdth (Inch)	OD (mm)	SW (mm)	RRC	EU TIRE LABEL		
									Wet Grip	Noise Value (dB)	Noise Class
4WD	20	LT305/55R20	121/118	Q	9.5	844	316		N/A		
4WD	20	LT275/65R20	126/123	Q	8	866	279		N/A		
4WD	20	35*12.50R20LT	121	Q	10	877	318		N/A		
4WD	20	33*12.50R20LT	114	Q	10	826	318		N/A		
4WD	18	LT275/70R18	125/122	Q	8	843	279		N/A		
4WD	18	LT275/65R18	123/120	Q	8	815	279		N/A		
4WD	18	35*12.50R18LT	123	Q	10	877	318		N/A		
4WD	17	LT315/70R17	121/118	Q	9.5	874	323		N/A		
4WD	17	LT295/70R17	121/118	Q	8.5	846	297		N/A		
4WD	17	LT285/70R17	121/118	Q	8.5	832	92		N/A		
4WD	17	LT265/70R17	121/118(OW)	Q	8	804	272		N/A		
4WD	17	LT255/70R17	111/108	Q	7	814	253		N/A		
4WD	18	35*12.50R17LT	121	Q	10	877	318		N/A		
4WD	16	LT315/75R16	121/118(OW)	Q	8.5	878	313		N/A		
4WD	16	LT305/70R16	124/121(OW)	Q	9	834	311		N/A		
4WD	16	LT285/75R16	126/123	Q	8	834	286		N/A		
4WD	16	LT265/75R16	123/120(OW)	Q	7.5	804	267		N/A		
4WD	16	LT245/75R16	120/116(OW)	N	7	774	248		N/A		
4WD	16	LT235/85R16	120/116	Q	6.5	806	235		N/A		
4WD	15	LT235/75R15	104/101(OW)	Q	6.5	733	235		N/A		
4WD	15	35*12.50R15LT	113	Q	10	877	318		N/A		
4WD	15	33*12.50R15LT	108(OW)	Q	10	826	318		N/A		
4WD	18	32*11.50R15LT	113(OW)	Q	9	801	290		N/A		
4WD	15	31*12.50R15LT	109(OW)	Q	8.5	775	268		N/A		
4WD	15	30*9.50R15LT	104	Q	7.5	750	240		N/A		





ESTOVAN

www.estovan.com

NANKANG
FREE YOUR WAY

LIGHT TRUCK



NR-033

Series	Inch	Size	Load Index	Speed Index	Rim Width	OD (mm) (Inch)	SW (mm)	EU TIRE LABEL			
								RRC	Wet Grip	Noise Value (dB)	Noise Class
LTR	13	5,50R13	97/95	N	5,5	608	1	E	C	72	2

