



# WANLI

**PCR**



**2021**

**CATALOGO**



# WANLI

## COMFORT SERIES

**SP118/ (34)**



**H-220/ (35)**



## SPORT SERIES

**SA-302/ (36)**



**S-1087/ (38)**



## SUV/4X4

**AS-028/ (37)**





**SUV/4X4**

**SU-006**(39)



**M-105**(40)



**SPORT SERIES**

**SP601**(41)





**ESTOVAN**

www.estovan.com

**WANLI**



# SP-118 Mix Series

| Inch | Aspect Rating | Size      | Load Index | Speed Index | Std. Rim | Section Width (mm) | Overall Diameter (Kpa) | Max Air Pressure |
|------|---------------|-----------|------------|-------------|----------|--------------------|------------------------|------------------|
| 13   | 70            | 175/70R13 | 82         | T           | 5B/5J    | 175                | 576                    | 250              |
| 13   | 65            | 165/65R13 | 77         | T           | 5B/5J    | 175                | 540                    | 250              |
| 13   | 60            | 175/60R13 | 77         | T           | 5B/5J    | 175                | 540                    | 250              |
| 14   | 65            | 175/65R14 | 82         | T           | 5B/5J    | 175                | 584                    | 250              |
| 14   | 60            | 165/60R14 | 75         | H           | 5B/5J    | 165                | 554                    | 250              |
| 14   | 60            | 185/60R14 | 82         | T           | 5 1/2J   | 185                | 578                    | 250              |
| 14   | 65            | 185/65R14 | 86         | H           | 5 1/2J   | 185                | 596                    | 250              |
| 14   | 70            | 185/60R14 | 88         | T           | 6J       | 185                | 616                    | 250/14           |
| 14   | 70            | 185/70R14 | 88         | T           | 5 1/2J   | 189                | 616                    | 250              |





**ESTOVAN**

www.estovan.com

**WANLI**



# H220

## Comfort Series

| Size      | Load index/<br>Speed Symbol | Inch | Sth.Rim | Section width (mm) | Overall Diameter<br>(mm) | Max.pemiss.press<br>(Kpa) |
|-----------|-----------------------------|------|---------|--------------------|--------------------------|---------------------------|
| 195/50R15 | 82V                         | 15   | 6J      | 201                | 577                      | 250                       |
| 195/55R15 | 84H                         | 15   | 6J      | 201                | 595                      | 250                       |
| 195/60R15 | 88V                         | 15   | 6J      | 201                | 615                      | 250                       |
| 195/65R15 | 91H                         | 15   | 6J      | 201                | 635                      | 250                       |
| 185/65R15 | 88H                         | 15   | 5 1/2J  | 189                | 621                      | 250                       |
| 185/65R15 | 92/XLH                      | 15   | 5 1/2J  | 189                | 621                      | 250                       |
| 205/60R16 | 96X/LH                      | 16   | 6J      | 209                | 652                      | 290                       |
| 205/65R16 | 95V                         | 16   | 6J      | 209                | 672                      | 250                       |





**ESTOVAN**

www.estovan.com

**WANLI**



# SA302

## Regional Series

| Inch | Aspect Rating | Size       | Load Index | Speed Index | Std. Rim | Section Width (mm) | Overall Diameter (Kpa) | Max Air Pressure |
|------|---------------|------------|------------|-------------|----------|--------------------|------------------------|------------------|
| 15   | 50            | 205/50R15  | 89/XL      | V           | 6 1/2J   | 214                | 587                    | 290              |
| 15   | 45            | 205/45ZR16 | 87/XL      | W           | 7J       | 206                | 590                    | 290              |
| 15   | 55            | 205/55R16  | 91         | V           | 6 1/2J   | 214                | 632                    | 250              |
| 16   | 45            | 205/45ZR16 | 87/XL      | W           | 7J       | 206                | 590                    | 290              |
| 16   | 55            | 205/55ZR16 | 91/XL      | V           | 6 1/2J   | 214                | 632                    | 250              |
| 17   | 45            | 205/45ZR17 | 88/XL      | W           | 7J       | 206                | 616                    | 290              |
| 17   | 45            | 215/45ZR17 | 91/XL      | W           | 7J       | 213                | 626                    | 290              |
| 17   | 45            | 225/45ZR17 | 94/XL      | W           | 7 1/2J   | 225                | 634                    | 290              |
| 17   | 50            | 225/50ZR17 | 98/XL      | W           | 7J       | 233                | 658                    | 290              |
| 17   | 55            | 215/55ZR17 | 98/XL      | W           | 7J       | 226                | 668                    | 290              |
| 18   | 40            | 225/40ZR18 | 92/XL      | W           | 8J       | 230                | 637                    | 290              |





**ESTOVAN**

www.estovan.com



# AS-028 FLASH

| Inch | Aspect Rating | Size       | Load Index | Speed Index | Std. Rim | Section Width (mm) | Overall Diameter (Kpa) | Max Air Pressure |
|------|---------------|------------|------------|-------------|----------|--------------------|------------------------|------------------|
| 16   | 65            | 215/65R16  | 98         | H           | 6 1/2J   | 221                | 686                    | 250              |
| 16   | 70            | 225/70R16  | 103        | H           | 6 1/2J   | 228                | 722                    | 250              |
| 16   | 70            | 235/70R16  | 106        | H           | 7J       | 240                | 736                    | 250              |
| 17   | 60            | 215/60R17  | 93         | H           | 6 1/2J   | 221                | 690                    | 250              |
| 17   | 60            | 225/60R17  | 99         | H           | 6 1/2J   | 228                | 702                    | 250              |
| 17   | 65            | 225/65R17  | 102        | H           | 6 1/2J   | 228                | 724                    | 250              |
| 17   | 65            | 225/65R17  | 104        | V           | 7J       | 240                | 738                    | 250              |
| 17   | 65            | 235/65R17  | 112        | S           | 8J       | 272                | 778                    | 250              |
| 18   | 55            | 235/755R18 | 104/XL     | V           | 7 1/2J   | 245                | 715                    | 290              |
| 18   | 55            | 255/55R18  | 109/XL     | V           | 8J       | 265                | 737                    | 290              |





**ESTOVAN**

www.estovan.com

**WANLI**



**S-1087**

HIGHT PERFORMANCE

| Inch | Aspect Rating | Size      | Load Index | Speed Index | Std. Rim | Section Width (mm) | Overall Diameter (Kpa) | Max Air Pressure |
|------|---------------|-----------|------------|-------------|----------|--------------------|------------------------|------------------|
| 20   | 45            | 275/45R20 | 110/XL     | V           | 9J       | 273                | 756                    | 290              |
| 20   | 50            | 265/50R20 | 111/XL     | V           | 8 1/2J   | 277                | 774                    | 290              |
| 20   | 55            | 275/55R20 | 117/XL     | H           | 8 1/2J   | 284                | 810                    | 290              |







**ESTOVAN**

www.estovan.com

**WANLI**



## SU006 A/T ALPINISM

| Inch | Aspect Rating | Size          | Load Index | Speed Index | Std. Rim | Section Width (mm) | Overall Diameter (Kpa) | Max Air Pressure |
|------|---------------|---------------|------------|-------------|----------|--------------------|------------------------|------------------|
| 15   | -             | 31X10.50R15LT | 109        | Q           | 8 1/2J   | 268                | 775                    | 350              |
| 16   | 70            | 245/70R16     | 111/XL     | T           | 7J       | 248                | 750                    | 290              |
| 16   | 70            | 255/70R16     | 111        | T           | 7 1/2J   | 260                | 764                    | 250              |
| 16   | 70            | 265/70R16     | 112        | S           | 8J       | 272                | 778                    | 250              |
| 16   | 70            | 275/70R16     | 114        | S           | 8J       | 279                | 792                    | 250              |
| 16   | 75            | LT245/75R16   | 108/104    | S           | 7J       | 248                | 774                    | 350              |
| 16   | 75            | LT265/75R16   | 123/120    | S           | 7 1/2J   | 267                | 804                    | 550              |
| 18   | 75            | 265/60R18     | 110        | H           | 8 1/2J   | 272                | 775                    | 250              |
| 17   | 65            | 265/65R17     | 112        | S           | 8J       | 272                | 776                    | 250              |
| 20   | 50            | 265/50R20     | 111/XL     | V           | 8 1/2J   | 277                | 774                    | 290              |
| 20   | 55            | 275/55R20     | 117/XL     | H           | 8 1/2J   | 284                | 810                    | 290              |





**ESTOVAN**

www.estovan.com

**WANLI**



# M105 MT SUVJ 4X4

| Size          | Load index/<br>Speed Symbol | Inch | Sth.Rim | Section width (mm) | Overall Diameter<br>(mm) | Max.pemiss.press<br>(Kpa) | Load Capacity<br>(kg) |
|---------------|-----------------------------|------|---------|--------------------|--------------------------|---------------------------|-----------------------|
| LT235/75R15   | 104/101                     | 15   | 6 1/2J  | 235                | 733                      | 350                       | 900/825               |
| LT285/70R17   | 121/118                     | 17   | 8 1/2J  | 292                | 838                      | 838                       |                       |
| 33*12.50R20LT | 114                         | 20   | 10J     | 318                | 832                      | 450                       |                       |





**ESTOVAN**

www.estovan.com

**W** **WANLI**



# SP601

HIGH PERFORMANCE  
AND SUPER-STRONG

| Inch | Aspect Rating | Size       | Load Index | Speed Index | Std. Rim | Section Width (mm) | Overall Diameter (Kpa) | Max Air Pressure |
|------|---------------|------------|------------|-------------|----------|--------------------|------------------------|------------------|
| 20   | 40            | 245/40ZR20 | 99XL       | W           | 8 1/2J   | 248                | 704                    | 290              |

